



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	6911-1446:0103
<b>CATEGORY:</b>	6911 - VOICE COMMUNICATION SYSTEMS CONTROL UNITS
<b>LISTEE:</b>	EVAX SYSTEMS 20 McDermott Dr, Branford, CT, 06405 Contact: Lakomiak, Neil 13148661542 Email: neill@pottersignal.com
<b>DESIGN:</b>	<p>Models HMX-MP and HMX-DP audio adjunct/voice evacuation systems. The HMX-MP is the master panel in the system while the HMX-DP is the distributed panel. Each system is modular in construction. Refer to listee's data sheet for additional detailed product description and operational considerations. System components:</p> <p>PWR-2A; Power Supply</p> <p>MFP Master; Fire Phone Card</p> <p>DCC ;Data Communication Control Card</p> <p>ASC; Audio System Control Card</p> <p>SSC; Switch Scan Card</p> <p>MMC; Microphone Master Control Card</p> <p>IOI; Input/Output Card</p> <p>SLC; Switch and LED Card</p> <p>MFH; Master Fire Phone Handset Card</p> <p>MBR; Motherboard Card</p> <p>AMI; Audio Module Interface Card</p> <p>FPI; Motherboard/Relay Card</p> <p>Evax's Models EVX-25, -25E, -50, -50E, -100 or -100E; Audio Adjunct Systems*</p>
<b>RATING:</b>	120 VAC
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee's name, model number, electrical rating, and UL label.



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

**APPROVAL:**

Listed as voice communication/evacuation/relocation/paging system for use separately listed electrically compatible fire alarm control unit. Suitable for high rise applications when used in conjunction with separately listed electrically compatible high rise fire alarm control units. Refer to listee's Installation Instruction Manual for details.

**NOTES:**

\*Corrected 03-14-11 bh



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 05/03/2024**

**Listing Expires: 06/30/2025**

Authorized By: **David Castillo**, Program Coordinator  
Fire Engineering & Investigations Division